



CATALOGUE 2024



BLACK+ DECKER



Contact Us

Sales-
+91 9811579961

SPS Lucknow-
+91 88105 53875

Sushil Mishra-
+91 7011218105

Phone-
011-47002673



Email Us

staplespackagingsolutions@gmail.com



Visit Our Website

spspneumatictools.com

BLACK+DECKER POWER TOOLS



CONTENTS

DRILLS

BD65RD	4
TB555	4
KR5010	4
KR5010V	5
KR554RE	5
HD555	5

DRILL KIT

HD555K50	6
RT18KA	6
HD555KMPR	7

CORDLESS

BD40K27	8
BD40K27P	8
BD40K4	9
BCRT8K35	9
KC4815	10
LD12SP	10
BCD003C1	11
CD121K50	12
CD121B2	12
BCRTA01	13
KC3610	13
multi EVO	14
multi EVO	15

WOOD WORKING

CS1500	16
KW712	16
KA400	16
BES603	17
KS700PE	17
KS900EKX	17

METAL WORKING

G650	18
G720R	18
G720RW	18

SPECIALITY TOOLS

KX1800	19
BDB530	19

OTHERS

BDC8	20
BDC24L	20
BC12	21
BC25	21
WDBD10	22

WET & DRY VACUUM CLEANER

WDBD15	22
WDBDS30	22
BDWD08	23

DRILLS

BD65RD - 6.5mm 400W ROTARY DRILL



Specifications

Power Input	400W
Speed	0-3000 rpm
Variable Speed	Yes
Reversible	Yes
Max Drill Capacity	Wood - 10mm
	Metal - 6mm

TB555 - 10mm 550W REVERSIBLE HAMMER DRILL



Specifications

Chuck Size	10mm
Speed	0-2900 rpm
Reversible	Yes
Standard Accessories :1-Piece Drill, 1-Piece Chuck Key	

KR5010 - 10mm 550W SINGLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	10mm
Speed	2800 rpm
Impact Rate	47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

DRILLS

KR5010V - 10mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	10mm
Speed	0-2800 rpm
Impact Rate	0-47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

KR554RE - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Beats Per Minute	0-47600 bpm
Max Torque	4.5Nm
Max Drill Capacity	Wood- 20mm
	Steel- 13mm
	Masonry- 13mm

HD555 - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Impact Rate	0-45000 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 13mm
Standard Accessories : Side Handle and Depth Gauge	

DRILL KITS

HD555K50 - 13mm 550W HAMMER DRILL KIT 50 TOOLS



Specifications

Power Input	550W
No Load Speed	0-2800 rpm
Beats Per Minute	0-45000 bpm
Chuck Type	Keyed
Chuck Size	13mm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 10mm
Reverse Action	Yes
Variable Speed	Yes

Standard Accessories:

- 550W 13mm Hammer Drill • Chuck key • 4 x HSS Drill Bits
- 4 x Masonry Drill Bits • 5 x 50mm Screwdriving Bits

RT18KA - ROTARY TOOL WITH ACCESSORIES KIT BOX



Specifications

Power Input	180W
No Load Speed	0-35000 rpm

Standard Accessories:

- 1x Rotary Tool • 1x Base Clamp • 1x Hanging Frame • 1x Flexible Shaft
- 1x Collet Spanner • 3x Collets: 1/8", 3/32", 1/16" • 23x Cutting Discs
- 31x Sanding Disc • 1x Sanding Bit • 18x Sanding Pads
- 9x Polishing Discs • 1x Bronze Brush • 1x Radial Bronze Brush
- 1x Regular Brush • 1x Regular Radial Brush • 3x Diamond Bits
- 3x Multi-Purpose Bits • 2x Chucks • 1x Chuck for polishing pads
- 1x Rectifying Stone • 10x Grinding Stone • 1x Plastic Box



DRILL KITS

HD555KMPR -

13mm 550W HAMMER DRILL WITH KIT 100 ACCESSORIES




Specifications


Power Input	550W
Chuck Size	13mm
Chuck Type	Keyed
No Load Speed	0-2800 rpm
Blows Per Minute	0-45000 bpm
Max. Drill Capacity	Steel - 13mm
	Masonry - 13mm
	Wood- 20mm

Standard Accessories:


- 550W 13mm Hammer Drill • Chuck Key • 1x Adjustable Wrench
- 1x6" Plier • 1x Knife • 1x Magnetic Bit Holder • 1x Magnetic Driver
- 10x Screw Bits • 5x Drill Bits for steel (2/3/4/5/6 mm)
- 5x Drill Bits for masonry (4/5/6/8/10 mm) • 4x Drill Bits for Wood (4/5/6/8 mm)
- 30x Screws (φ3/4/5) + 30x Wall Plugs (φ5/6/8)




Drilling holes in wood




Testing with electroprobe



Drilling holes in metal



Sawing wood manually



Measuring distance with tape measure

CORDLESS

BD40K27 - 3.6V Li-ion SCREWDRIVER WITH 27 ACCESSORIES



Specifications

..Voltage	3.6V
..Motor Size	380mm
..Charger Input Connection	USB 2.0
..Charging Time	1.5hr. (BD40K27)
..Switch	Push Type
..Chuck Size	6.35mm (1/4")
..No Load Speed*	320 rpm
..Battery Capacity	1.5Ah
..Intelligent Torque Adjustment	43835
..Max Hard/Soft Torque	5/2.5Nm
..Forward/Reverse Function	YES
..Self-Locking Function	YES
..Battery Capacity Warning	2 LED
..LED Working Light	2 LED
..Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- Magnetic bit to avoid screw drop
- 8 pcs precision bits for glasses/clocks repair
- 2 pcs 50mm longer bit for in-depth screw use

BD40K27P- 4V PUSH & GO SCREWDRIVER - PINK



Specifications

..Voltage	4V Max
..Motor Size	380mm
..Charger Input Connection	USB 2.0
..Charge Time	1.5hr
..Switch	Push Type
..No Load Speed	320 rpm
..Battery Capacity	1.5Ah
Weight	0.28kg

Features

- Magnetic bit to avoid screw drop
- 50mm longer screw bits
- Extra hand tool precision screwdriver and bits for repair work

CORDLESS

BD40K4 - 3.6V Li-ion SCREWDRIVER WITH 4 ACCESSORIES



Specifications

Voltage	3.6V
Motor Size	38mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K27)
Switch	Push Type
Chuck Size	6.35mm (1/4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- 4 pcs precision bits for glasses/clocks repair

BCRT8K35- 8V ROTARY TOOL WITH ACCESSORIES



Specifications

Voltage	8 V Max
No Load Speed	3500-29500 rpm
No load Amps	1.5A
Bit holder	0.8, 1.6, 2.4, 3.2
Weight	0.38kg

CORDLESS

KC4815 - 4.8V CORDLESS Ni-Cd SCREWDRIVER



Specifications

Voltage	4.8V
Battery Type	Ni-Cd
Max Torque	3.5Nm
Speed	0-200 rpm
Reversible	Yes
Weight	0.24kg

Standard Accessories: 1 Charger • 15 Bits •
• 1 Cordless Screwdriver • 1 Magnetic Bit Holder

LD12SP - 12V Li-ion CORDLESS DRILL DRIVER WITH INTEGRATED BATTERY



Specifications

Voltage	12V
Chuck Size	10mm
Speed	0-900 rpm
Max. Drill	Wood - 15mm
Reversible	Yes
Weight	1.35kg

Standard Accessories:
• 1 x Charger • 2 x Drill Bits • 1 x Screwbit Adapter
• 10 x Screwdriver Bits • 1 x Kit Box



CORDLESS

BCD003C1 - 10mm 18V CORDLESS HAMMER DRILL



Specifications

Voltage	18V
Battery Type	Lithium-Ion
Chuck Size	10mm
Speed	0-400/1400 rpm
Reversible	Yes
Max Capacity	Wood - 25mm
	Steel - 10mm
	Masonry - 10mm
Max. Torque	46Nm

Standard Accessories

- 1x18V / 1.5Ah lithium-ion slidepack battery
- 400mA charger
- Bit holder
- LED work light



CORDLESS

CD121K50 - 12V CORDLESS Ni-Cd DRILL/DRIVER WITH 50 ACCESSORIES KITBOX



Specifications

Voltage	12V
Battery Type	1.3Ah, Ni-Cd
Chuck Size	10mm
Speed	0-1200 rpm
Chuck	Keyless, 17 Positions
Reversible	Yes
Max Drill Capacity	Wood - 25mm Metal - 10mm

Standard Accessories

- 12V drill/driver • 1.3Ah Ni-Cd battery pack • charger • 1 double ended screwdriver bit • 12 titanium coated high speed drill bits • 4 wood drill bits • 4 wood spade bits • 3-50mm screwdriver bits • 20-25mm screwdriver bits • 4 nut driver • 2 screw finders • 1 magnetic bit holder • 1 kit box

CD121B2 - 12V Ni-Cd CORDLESS DRILL WITH 2 BATTERIES



Specifications

Voltage	12V
Battery Capacity	1.3Ah, Ni-Cd
Torque	8Nm
Chuck Size	10mm
No Load Speed	0-550 rpm
Weight	1.35kg
Charger	Charger Adapter
Output Current	450mA
Charging Time	5-7hr

- Standard Accessories:
- 1 Cordless Drill • 2 Batteries • 15 Drill Bits • 1 Magnetic Bit Holder

CORDLESS

B CRTA01- 3.6V FURNITURE ASSEMBLY TOOL



Specifications

Voltage	3.6V
Battery Capacity	1.5Ah
Charger Output	400mA
Charging Time	1-3hr

Features

- A screwdriver directed to users who need to assemble furniture
- Key differentiator vs. other screwdriver is its exclusive chuck, that accepts the hex keys commonly shipped in IKEA-type furniture
- Accepts other bit types as well

K C3610- 3.6V Ni-Cd SCREWDRIVER + 10 BIT SETS



Specifications

Battery Type	Ni-Cd
Battery Capacity	600mAh
Voltage	3.6V
Speed	200 rpm
Torque	3Nm
Pivot	No
Weight	0.26kg
Charger	Jack Plug
Output Current	300mA
Charge Time	1-3hr

Features

- Extensive range of Black+Decker set providing a wide offering across all price points
- High value sets with the most common components to suit the average DIY' er
- Exclusive Black+Decker sets distinctive packaging and design only available under the Black+Decker brand

CORDLESS



Hammer Drill

MEHTH1D853



- Removing rusty/old or damaged screws
- Driving large bolts/screws without needing a pilot hole
- Driving self tapping screws straight into metal work



Detail Sander

MESTHS1A823



- Ideal for preparing wood surfaces for paint or varnish



Drill Driver

MEDTD2118K3



- All screwdriving applications
- Drill holes in wood, metal and plastic



Jigsaw

MEJTSJ18S31



- Straight or curved cuts in wood, metal and plastic



Impact Driver

MEITH11M833



- Removing rusty/old or damaged screws
- Driving large bolts/screws without needing a pilot hole
- Driving self tapping screws straight into metal work



Router

EM RT HR 1 T8 83



- Fitting door hinges and door locks
- Wood carving on flat surfaces
- Routing accurate joints e.g., dovetails
- Routing decorative edges on timber



Oscillating Tool

MEOTOH1S843



- Ideal for sanding woods, laminate flooring, stone, breezeblocks, plasterboard and for polishing and rust removal
- Ideal for scraping linoleum flooring tile adhesive, ceramic tile adhesive, removal of linoleum, carpet tiles and sealant removal
- Ideal for cutting wood, metal, plasterboard, laminate flooring, plastics and fiberglass



High Pressure Inflator

MEITFNS1F893



- Ideal for inflating the tyres of cars, motorcycles, mopeds, bicycles, golf carts, caravans, boat and car trailers
- Can also inflate sports equipment such as beach balls, footballs etc

CORDLESS



multiEVO™

Different Tools With A Single Click



Powered by
POWERCONNECT™
System

WOOD WORKING

CS1500 - 1500W CIRCULAR SAW



Specifications

Power	1500W
Blade Size	185mm
Speed	5500 rpm
Cutting Depth @ 90°	62mm
Cutting Depth @ 45°	46mm
Beveling Shoe	0-45°

KW712 - 650W REBATING PLANER



Specifications

Power Input	650W
Speed	17000 rpm
Cutting Depth	0-2mm
Width of Cutting	82mm
Planing Width	82mm
Rebating Depth	8mm
Blade Type	TC Reversible Blade

KA400- 1/4" 220W SHEET SANDER



Specifications

Power Input	220W
Speed	15000 rpm
Excentricity	0.8mm
Orbit Diameter	1.6mm
Paper Size	114 x 114mm
Platen Size	113.5 x 109mm
Dust Extraction	Dust Bag

WOOD WORKING

BES603- 400 W VARIABLE SPEED JIGSAW



Specifications

Power	400W
Strokes	3000 /min
Tool Free Blade Clamp	Yes
Lock On Switch	Yes
Bevel Cut	0-45 °
Depth of Cut (Wood/Steel/Aluminum)	65mm / 6mm / 10mm
Stroke Length	18mm
Dust Blower	Yes
Dust Extraction	Yes

KS700PE - 480W VARIABLE SPEED PENDULUM JIGSAW



Specifications

Power Input	480W
No load speed	0-3000 min-1
Cutting Depth	Wood - 60mm
	Steel - 5mm
	Aluminium -10mm
Bevel Cut	0-45°
Pendulum	Yes

KS900EKX- 600W VARIABLE SPEED PENDULUM JIGSAW WITH KIT



Specifications

Power Input	600W
No load speed	800-3000 min-1
Cutting Depth	Wood - 85mm
	Steel - 5mm
	Aluminium -15mm
Weight	2.36kg
Pendulum	Yes

METAL WORKING

G650 - 100mm 650W SMALL ANGLE GRINDER



Specifications

Power	650W
Disc Diameter	100mm
Voltage	220-240V ~ 50/60Hz
Rate Speed	12000/min (rpm)
Spindle Size	M10
Cable Length	2m

Features

- Powerful 650W motor
- Compact design
- Spindle Lock
- Side handle with 2 positions
- Dust seal switch with lock for continuous use

G720R - 100mm 820W SMALL ANGLE GRINDER



Specifications

Power Input	820W
Speed	11000 rpm
Spindle Size	M10
Spindle Lock	Yes
Lock ON/Off Switch	Yes
Switch Type	Slider

G720RW - 4" 100mm 820W ANGLE GRINDER



Specifications

Power	820W
Disc Diameter	100mm
No Load Speed	11000 rpm
Spindle Size	M10

SPECIALTY TOOLS

KX1800 - 1800W 2 SPEED HEAT GUN



Specifications

Power Input	1800W
Voltage	220-240V
Style	Pistol
Two Heat Setting	300°-580°C
Airflow	500/650 L/Min
Cable Length	2m

BDB530- 530W SINGLE SPEED BLOWER



Specifications

Power	530 W
Frequency	50/60 Hz
No-load Speed	16000 /min
Air Volume	3.5 m3/min
Weight	1.6kg
Voltage	220-240 V



OTHERS

BDC8 - 8L COOLER AND WARMER



Specifications

Volume	8L
12V (Cold /Hot Mode)	approx. 48/42W
Cooling Capacity	Approx. 15°C-18°C below ambient temperature
Warming Capacity	Approx. 50°C-60°C by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP+ aluminum liner
Cable Length	AC power cord 1.8m with plug

BDC24L - 24L COOLER AND WARMER



Specifications

Volume	24L
220V or 100V (Cold/Hot Mode)	approx. 60/50W
12V (Cold/Hot Mode)	approx. 50/45W
Cooling Capacity	Approx. 15°C-18°C below ambient temperature
Warming Capacity	Approx. 50°C-60°C by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP
Cable Length	1. AC power cord 1.8m with plug 2. DC power cord (3C) -2.0m

OTHERS

BC12 - 2/8/12Amp AUTOMATIC AND MANUAL CONTROL SMART CHARGER



Specifications	
Charging Output	12.8V
Display Mode	LED
Rated Input Voltage	AC 110-220V
Charging Display	Green LED light
Rated Output Voltage	14.8+/-0.3V
Ambient Temperature	00 to +400

BC25 - 4/12/25Amp AUTOMATIC AND MANUAL CONTROL SMART CHARGER



Specifications	
Charging Output	12.8V
Display Mode	LED
Rated Input Voltage	AC 110-220V
Charging Display	Green LED light
Rated Output Voltage	14.8+/-0.3V
Ambient Temperature	00 to +400



WET & DRY VACUUM CLEANER

WDBD10



10L WET & DRY VACUUM CLEANER WDBD10



Motor Power (W)	220-240V, 50/60 Hz 1200W
Vacuum Pressure (KPa)	≥15
Suction Power (W)	120
Noise (dB)	≤84
Dust Capacity (L)	10
Filtration	HEPA filter
Power Cable Length (m)	3.5
N.W. (KG)	3.1

With HEPA filter to capture even the smallest particles of dust, dander and other allergens
Includes a variety of nozzles and brushes for a variety of vacuuming applications
Comes with removable, washable and reusable dust bag
Wheels for ease of movement

WDBD15



15L WET & DRY VACUUM CLEANER WDBD15



Motor Power (W)	220-240V, 50/60 Hz 1400W
Vacuum Pressure (KPa)	≥16
Suction Power (W)	140
Noise (dB)	≤85
Dust Capacity (L)	15
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	5.1

With HEPA filter to capture even the smallest particles of dust, dander and other allergens
Includes a variety of nozzles and brushes for a variety of vacuuming applications
Comes with removable, washable and reusable dust bag
Wheels for ease of movement

WDBDS30



30L WET & DRY VACUUM CLEANER WDBDS30



Motor Power (W)	220-240V, 50/60 Hz 1600W
Vacuum Pressure (KPa)	≥17
Suction Power (W)	170
Noise (dB)	≤86
Dust Capacity (L)	25
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	7.6

With an impact resistant stainless steel tank for longer usage life
Washable HEPA filter is able to capture smallest of allergen



WET & DRY VACUUM CLEANER

BDWD08- 8L WET & DRY VACUUM CLEANER



Specifications

Power	1000W
Voltage	220-240V
Frequency	50-Hz
Airflow	≥ 1.6 (m ³ /min)
Vacuum Pressure	14-19 Kpa
Noise (LpA)	≤ 90
Tank Capacity	8 L
Electrical Cord Length	5.5m





Pneumatic Tools

Let's Get In Touch

Contact Us +91 9811579961
+91 88105 53875
+91 7011218105
011-47002673

Email Us
staplespackagingsolutions@gmail.com

Office Location
Plot 60, Shop No.4, Furniture Block, Kirti
Nagar, New Delhi- 110015



VISIT US at: www.spspneumatictools.com

DIGITAL PRESENCE



@BlackandDeckerIndia



Black+Decker India



@blackanddeckerindia



www..blackanddeckerindia.com



Black+Decker India



<https://www.sbdsmartorder.co.in>

STANLEY BLACK & DECKER INDIA PVT. LTD.

28Akemps, 3rd Main, 1st Cross,
Ashwini Layout, Koramangala,
Intermediate Ring Road,
Bangalore - 560 047

E: sbd-customercommunications@sbdinc.com
Toll Free: 1800 - 203 - 0644

